ividence-based cognitive rehabilitation to improve functional outcomes for oung adults with autism spectrum disorders ntegrated play groups: Promoting social communication and symbolic play	\$100,000	University of Pittsburgh	
		University of Pittsburgh	
vith peers across settings in children with autism	\$127,497	San Francisco State University	
/3-Multisite RCT of early intervention for spoken communication in autism	\$395,531	University of Rochester	
/3 CBT for anxiety disorders in autism: Adapting treatment for adolescents	\$41,570	University of Miami	
/3 CBT for anxiety disorders in autism: Adapting treatment for adolescents	\$285,075	University of California, Los Angeles	
/3-Atomoxetine placebo and parent training in autism	\$277,198	University of Rochester	
/3-Atomoxetine placebo and parent training in autism	\$272,700	University of Pittsburgh	
/3-Multisite RCT of early intervention for spoken communication in autism	\$547,162	University of California, Los Angeles	
/3-Multisite RCT of early Intervention for spoken communication in autism	\$815,668	Kennedy Krieger Institute	
CE Center: Risk and protective factors in the development of associated ymptoms in autism	\$169,876	University of Washington	
/3 CBT for anxiety disorders in autism: Adapting treatment for adolescents	\$236,579	University of South Florida	
/3-Atomoxetine placebo and parent training in autism	\$361,873	Ohio State University	
he mirror neuron system in children with autism	\$59,078	University of Washington	
ICC: Collaborative research: Social-emotional technologies for autism pectrum disorders	\$46,087	The Groden Center, Inc.	
ICC: Collaborative research: Social-emotional technologies for autism pectrum disorders	\$175,362	Massachusetts Institute of Technology	
CE Network: Early pharmacotherapy guided by biomarkers in autism	\$1,000,000	Wayne State University	
siomarkers in Autism of Aripiprazole and Risperidone Treatment (BAART)	\$619,865	Medical University of South Carolina	
leurocognitive markers of response to treatment in autism	\$76,500	University of California, Davis	
he comparison of three behavioral therapy approaches for children with utism	\$50,664	University of Rhode Island	
redictors of effects of propranolol on language & connectivity in autism	\$184,288	University of Missouri	
sibling mediated imitation intervention for young children with autism	\$0	Michigan State University	
arly intervention for children screened positive for autism by the First Year aventory	\$0	University of North Carolina at Chapel Hill	
inhancing inter-subjectivity in infants at high risk for autism	\$0	IWK Health Centre/Dalhousie University; University of Toronto; University of Alberta; The Hospital for Sick Children	
ivaluating behavioral and neural effects of social skills intervention for chool-age children with autism spectrum disorders	\$0	Mount Sinai School of Medicine	
leural and behavioral outcomes of social skills groups in children with ASD	\$290,251	Mount Sinai School of Medicine	
locial cognition and interaction training for adolescents with high functionin utism	g \$0	University of North Carolina at Chapel Hill	
randomized clinical trial of cognitive enhancement therapy for adults with utism spectrum disorders	\$1,412,388	University of Pittsburgh	
mproving synchronization and functional connectivity in autism spectrum isorders through plasticity-induced rehabilitation training	\$0	University of California, San Diego	

Project Title	Funding	Institution
Enhancing understanding and use of conversational rules in school-aged speakers with autism spectrum disorders	\$0	Yale University
Prelinguistic symptoms of autism spectrum disorders in infancy	\$30,000	University of California, Los Angeles